

EnviSense CO₂ Monitor

Measure air quality everywhere where people and especially for children live, work, learn or stay with the EnviSense CO2 monitor. This compact air quality meter measures not only the CO2 value but also the temperature and relative humidity. So you are always aware of the indoor climate.

More and more people now know how important it is to ventilate well. But what really is a healthy indoor climate? If we find out for ourselves, it is often too late, so it is necessary to clarify the values of the indoor climate. With the help of a CO2 meter you know exactly when to ventilate.

A CO2 monitor is placed in living rooms, bedrooms, schools, offices and nurseries. When a CO2 meter is placed in a residential house it is in 90% of the cases in living rooms such as a bedroom or living room. At the office, school and childcare facilities a healthy CO2 level

promotes development, concentration and alertness. Too high a CO2 level can lead to concentration disorders, poor sleep and fatigue.

With the EnviSense CO2 monitor you can see the conditions of your indoor climate at a glance. The CO2 meter is equipped with an audible signal when the CO2 level is too high and ventilation is necessary. In addition, 3 coloured LED lights indicate the air quality (green, yellow and red). The graph on the display shows the course of the CO2 level, so you can see how the CO2 value has been over the past minutes, hours and days.





Data logger

The EnviSense CO2 monitor is equipped with a data logger. In order to view the data easily, the Envisense dashboard has been developed. To make use of this, the monitor has to be connected to the computer with the supplied USB cable. All measured data is saved in a .csv file, which you can then upload into the dashboard. In the dashboard, it is possible to select the date range, and to choose between an hourly, daily or monthly view. Go to www.envisense.dashboard.net.

Meets the highest requirements

The EnviSense CO2 meter meets the high demands of professional users around the world. This means, among other things, that the CO2 monitor runs continuously on mains power, that the device calibrates itself automatically and that it is provided with 3 colour codes. In order to achieve maximum accuracy, the CO2 meter works with a high-quality NDIR sensor.

- Excellent indication of air quality
- Alarm can be set as desired
- ✓ Meets the highest requirements
- With CE mark
- 3-year warranty
- 📠 Data logger + digital dashboard



Specifications

Width	120 Millimeter
Height	90 Millimeter
Depth	35 Millimeter
Connection	Mini-USB naar USB (230V)
Cable length	1 Meter
Startup time	30 seconds countdown
Operating humidity	between 0% – 95% (non-condensed)
Suitable for CO2 measurement	Yes
Suitable for humidity measurement	Yes
Suitable for temperature measurement	Yes
Meets the high requirements	Yes
Measuring range CO2	0 – 5.000 ppm
Measuring range humidity	5% – 95% RH
Measuring range temperature	0°C - 90°C
Operating temperature	0°C - 50°C
Storage temperature	-20°C – 60°C
Power supply	5 VDC or via USB-poort
Weight	0,170 kg
Warranty	3 year

